



SPHENIX Clusterizer Overview


•••

Brandon McKinzie EMCal Workfest 12 August 2016

The Island Algorithm at CMS

Procedure:

- 1. Store "seed" towers. Defined by $E_T > E_T^{\text{thresh}}$
- 2. Remove seeds adjacent to higher energy ones.
- 3. Starting from highest energy seed:
 - a. Move both directions in φ until rise in energy or hole.
 - b. Move one step in η . Repeat φ search.
 - i. Continue along η until energy rise or hole.




Single-Particle Event Simulations


General procedure used for *all* slides that follow:

- 1. Use PHG4SimpleEventGenerator in <u>Fun4All_G4_sPHENIX.C</u> to generate one particle in one event.
 - a. Particles of interest: electrons, photons, and neutral pions.
 - b. Generated particle fixed at $(\eta, \phi) = (0, 0)$ for simplicity.
 - c. Set particle $p_{_{\rm T}}$ to fixed value. Explored here: 5 GeV/c < $p_{_{\rm T}}$ < 60 GeV/c.
 - d. Build cluster(s) in RawClusterBuilderIA::process_event().
- 2. Repeat many times for different values of generated particle p_T using bash script (clunky!).


Example Cluster Visualizations - Electrons




Example Cluster Visualizations - Photons



Example Cluster Visualizations - Neutral Pions




Exploring Cuts: E_T cluster/E_T true vs. Num Towers



Clustered E_T vs. Generated E_T

For each of e^{-} , γ , and π^{0} :


- Generate one single-particle event
 - $(\eta, \varphi) = (0, 0)$
 - \circ known p_{T}
 - noise included
- Accept clusters with NTowers > 6.
- Plot the cluster E_T that was found



Comparison with Simple 5x5 Clusterizer


For each of e^{-} , γ , and π^{0} :

- Collect seed towers.
- Construct simple 5x5 clusters centered on each seed.




Varying Seed E_T Threshold


Varying Seed E_T Threshold - Electrons



Varying Seed E_T Threshold - Photons



Varying Seed E_T Threshold - Neutral Pions



Current Status

- Integrating 'RawClusterBuilderIA' repository (<u>link</u>) into coresoftware.
- Writing more plotting macros to analyze output clusters (link to plotting repo).
- Documenting work/code as much as possible should others read/modify it in the future.